

This certifies that

# **GLENFIELD VALVES LTD**

has had the undermentioned product examined, tested and found, when correctly installed, to comply with the requirements of the United Kingdom Water Regulations/Byelaws (Scotland).

SERIES 1005, RANGE OF PISTON TYPE FLOAT OPERATED VALVES FOR COLD WATER USE ONLY IN SIZE 50, 80, 100, 150, 200, 250, 300MM.

Reference should be made to the accompanying acceptance letter for installation requirements

The product so mentioned will be listed in the Water Fittings and Materials Directory for a period until:

3 SEFTEMBER 2008

0309063

Certificate No.

Chairman, Test and Assessment Group

Secretary





Ref. No: 0309063 Sample No: 03209

09 September 2003

Mr Martin Johnstone Glenfleid Valves Ltd Glenfield Works Queens Drive Kilmarnock Ayrshire KA1 3XF

Dear Sir

#### **VALVES**

 Samples of the fittings or units described below have been subjected to relevant tests and examinations contained in the "Regulators' specifications", and after considering the test reports the Technical Committee's Test and Assessment Group (TAG) of the Water Regulations Advisory Scheme (WRAS or "the Scheme") finds that the fittings or units so described comply with, and their use when correctly installed, does not contravene the requirements of The Water Supply (Water Fittings) Regulations 1999, Water Byelaws 2000 Scotland, and Water Regulations Northern Ireland.

# 0309063

**VALVES** 

Float Operated - Piston Type - Metal Body

IRN

R001, R280

Tradename:

Range of piston type, float operated valves for cold water use only. The body is manufactured from cast iron (blue epoxy coating) with synthetic rubber face and seals. Maximum working pressure 16.0 bar.

Size:

50, 80, 100, 150, 200, 250, 300mm.

Product Designation:

Series 1005.

Marking:

'Glenfield' cast into body.

Manufacturer:

Glenfield Valves Ltd.

TO: 01495 24845

2120

### Mr Martin Johnstone Glenfield Valves Ltd

Page 2 of 5 09 September 2003

- 2. Installation Requirements & Notes are set out on Page 3.
- Fittings or units (and any non-metallic components contained within them) are re-assessed
  and, where necessary, retested every 5 years. You will be advised when your product is
  due for re-assessment. The extent of any retesting required for a product will be at the
  discretion of the Technical Manager.
- 4. Acceptance for listing entitles you to identify your product with the Scheme's "WRAS" Mark. The use of the Mark will make the identification easier of the approved products by Water Undertakers. Copies of the 'Mark' are available on request for the purposes of producing artwork.
- 5. Manufacturers or applicants may only quote in their sales literature, terms used in this letter when indicating the decision of the Group in respect to their fittings or units, namely that the Test and Assessment Group of the Scheme finds that the use of these fittings or units, when correctly installed, will not contravene the requirements of The Water Supply (Water Fittings) Regulations 1999, Water Byelaws 2000 Scotland or Water Regulations Northern Ireland and that a reference to the fittings or units will be included in the Scheme's Water Fittings and Materials Directory: this may be abbreviated to "Water Regulations Advisory Scheme Approved Product".
- 6. Since the incorrect installation of water fittings could result in contravention of the Regulations or Byelaws requirements, the attention of your customers should be drawn to any Installation Requirements for Regulations or Byelaws compliances set out on Page 3.
- 7. Would you please supply the Scheme with a copy of any of your company's literature which may or will make reference to the Scheme's decisions about the products and/or quotes any of the installation requirements.
- 8. A condition of listing is that no modification to the fittings or units described above shall be made without first notifying the Scheme and submitting to the Scheme details of the modification and, if so required, samples of the fittings or units as so modified for consideration by the Scheme's Test and Assessment Group. Fallure to comply with this condition may result in the removal from the Water Fittings and Materials Directory of the entry relating to the fittings or units in question.
- 9. Your products are required to be replicas of the samples described above, and the right is reserved to carry out quality surveillance inspections of your production arrangements, reasonable written notice of which will be given.
- Please note that the use of the items described in any particular area of supply is at the discretion of the local Water Undertaking.
- 11. Manufacturers or factors having appliances or units referred to in the Scheme's Directory which incorporate individually approved components and materials are asked to ensure that such components and materials continue to be approved and/or listed in the Directory.

Mr Martin Johnstone Gienfield Valves Ltd Page 3 of 5 09 September 2003

during the current period of approval of their appliance. This may require modifications to approved appliances to ensure their retention in the Scheme's Directory. The Scheme must be informed or any such modifications, (see paragraph 8).

- 12. You are reminded (see Form F1, paragraph 5.11) that you must remove your samples from the Fittings Testing Laboratory within four weeks of the date of this letter, after which date the right is reserved to dispose of the samples.
- 13. You are asked to verify the details of your product as set out in Paragraph 1 and advise us of any discrepancies.

Yours faithfully

H. R. Wigmore

Secretary, Test and Assessment Group

### **INSTALLATION REQUIREMENTS & NOTES**

You are advised to draw customers' attention to the fact;

IRN ROO1

See text of entry for Installation Requirements or Notes. IRN R280 Schedule 2-16 (2)

A servicing valve shall be installed at the inlet to the fitting.

TAG.0309063